

Section XV

BASE METALS AND ARTICLES OF BASE METAL

Notes.

1. This Section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15);
 - (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
 - (c) Headgear or parts thereof of heading 65.06 or 65.07;
 - (d) Umbrella frames or other articles of heading 66.03;
 - (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
 - (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
 - (i) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
 - (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (l) Articles of Chapter 95 (for example, toys, games, sports requisites);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of Chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of Chapter 97 (for example, works of art).
2. Throughout the Nomenclature, the expression "parts of general use" means:
 - (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
 - (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.
3. Throughout the Nomenclature, the expression "base metals" means: iron and steel, copper, nickel, aluminium, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
4. Throughout the Nomenclature, the term "cermets" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).
5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
 - (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
 - (c) In this Section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.

6. Unless the context otherwise requires, any reference in the Nomenclature to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
7. Classification of composite articles:
Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals.
For this purpose:
- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
 - (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
 - (c) A cermet of heading 81.13 is regarded as a single base metal.
8. In this Section, the following expressions have the meanings hereby assigned to them:
- (a) Waste and scrap
Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.
 - (b) Powders
Products of which 90% or more by weight passes through a sieve having a mesh aperture of 1mm.

Chapter 72

Iron and steel

Notes.

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them:
- (a) Pig iron**
Iron-carbon alloys not usefully malleable, containing more than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits:
 - not more than 10% of chromium
 - not more than 6% of manganese
 - not more than 3% of phosphorus
 - not more than 8% of silicon
 - a total of not more than 10% of other elements.
 - (b) Spiegeleisen**
Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at (a) above.
 - (c) Ferro-alloys**
Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following:
 - more than 10% of chromium
 - more than 30% of manganese
 - more than 3% of phosphorus
 - more than 8% of silicon
 - a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper.
 - (d) Steel**
Ferrous materials other than those of heading 72.03 which (with the exception of certain types

produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements.

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3% or more of aluminium
- 0.0008% or more of boron;
- 0.3% or more of chromium
- 0.3% or more of cobalt
- 0.4% or more of copper
- 0.4% or more of lead
- 1.65% or more of manganese
- 0.08% or more of molybdenum
- 0.3% or more of nickel
- 0.06% or more of niobium
- 0.6% or more of silicon
- 0.05% or more of titanium
- 0.3% or more of tungsten (wolfram)
- 0.1% or more of vanadium
- 0.05% or more of zirconium
- 0.1% or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(l) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or

other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(o) Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Subheading Notes.

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2% of chromium
- more than 0.3% of copper
- more than 0.3% of nickel
- more than 0.1% of any of the following elements: aluminium, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Non-alloy free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08% or more of sulphur
- 0.1% or more of lead
- more than 0.05% of selenium
- more than 0.01% of tellurium
- more than 0.05% of bismuth.

(c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1 % of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 % or more, 0.6% or more of carbon and 3 to 6% of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7% of carbon,
- 0.5% or more but not more than 1.9% of manganese, and
- 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.

2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified "other elements" referred to in Chapter Note 1 (c) must each exceed 10% by weight.

Explanatory remarks to Chapter 72

1. Steel core of aluminium cables (Aluminium Conductor Steel-Reinforced), in diameter from 1.20 mm to 4 mm inclusive.
Composition: P and S 0.035 each; MN from 0.45 to 0.65; C from 0.78 to 0.85; and SI 0.35 percent.
2. Steel wire (Bead Wire) covered with bronze at least 0.35 gram per kilogram (in diameter from 0.94 mm to 0.98 mm inclusive).
Composition: P and S 0.035 each; C at least 0.6; MN from 0.58 to 0.7; and SI from 0.035 to 10 percent.

Section XV – Chapter 72

Heading, Subheading No.	Description	Import Duties (%)	SUQ	Remarks
	I. PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM			
7201	Pig iron and spiegeleisen in pigs, blocks or other primary forms.			
7201 10 00	- Non-alloy pig iron containing by weight 0.5 % or less of phosphorus	4	Kg	
7201 20 00	- Non-alloy pig iron containing by weight more than 0.5 % of phosphorus	4	Kg	
7201 50 00	- Alloy pig iron; spiegeleisen	4	Kg	
7202	Ferro-alloys.			
	- Ferro-manganese:			
7202 11	-- Containing by weight more than 2 % of carbon :		Kg	
7202 11 10	--- Containing by weight more than 2% but less than or equal to 4% of carbon	25		
7202 11 90	--- Containing by weight more than 4% of carbon	25		
7202 19	-- Other :		Kg	
7202 19 10	--- Containing by weight 1% or less of carbon in the form of powder smaller than 425 microns (40 mesh)	15		
7202 19 20	--- Containing by weight 1% or less of carbon in other dimensions	4		
7202 19 30	--- Containing by weight more than 1% but equal to or less than 2% of carbon in the form of powder smaller than 425 microns (40 mesh)	15		
7202 19 90	--- Containing by weight more than 1% but equal to or less than 2% of carbon in other dimensions	4		
	- Ferro-silicon:			
7202 21	-- Containing by weight more than 55% of silicon		Kg	
7202 21 10	--- Containing by weight more than 55% but equal to or less than 80% of silicon	25		
7202 21 20	--- Containing by weight more than 80% but equal to or less than 90% of silicon	25		
7202 21 90	--- Containing by weight more than 90% of silicon	25		
7202 29 00	-- Other	25		
7202 30 00	- Ferro-silico-manganese	25		
	- Ferro-chromium:			
7202 41	-- Containing by weight more than 4 % of carbon :		Kg	
7202 41 10	--- Containing by weight more than 4% but equal to or less than 6% of carbon	25		
7202 41 20	--- Containing by weight more than 6% of carbon	25		
7202 41 30	--- Containing by weight 60% or less of chromium	25		
7202 41 90	--- Containing by weight more than 60% of chromium	25		
7202 49	-- Other :		Kg	
7202 49 10	--- Containing by weight 0.05% or less of carbon	4		
7202 49 20	--- Containing by weight more than 0.05% but equal to or less than 0.5% of carbon	4		
7202 49 90	--- Containing by weight more than 0.5% but equal to or less than 4% of carbon	4		
7202 50 00	- Ferro-silico-chromium	25	Kg	
7202 60 00	- Ferro-nickel	4	Kg	
7202 70 00	- Ferro-molybdenum	25	Kg	
7202 80 00	- Ferro-tungsten and ferro-silico-tungsten	4	Kg	
	- Other:			

Section XV – Chapter 72

Heading, Subheading No.	Description	Import Duties (%)	SUQ	Remarks
7202 91 00	-- Ferro-titanium and ferro-silico-titanium	4	Kg	
7202 92 00	-- Ferro-vanadium	4	Kg	
7202 93 00	-- Ferro-niobium	4	Kg	
7202 99	-- Other :		Kg	
7202 99 10	--- Ferro-phosphorus containing by weight more than 3% but equal to or less than 15% of phosphorus	40		
7202 99 20	--- Ferro-phosphorus containing by weight more than 15% of phosphorus	40		
7202 99 30	--- Ferro-silico calcium (silico-calcium)	40		
7202 99 40	--- Ferro-silico-manganese	40		
7202 99 50	--- Germinating inoculants containing at least one of the elements Sr, Zr, Ca, Ba each with a content by weight equal to or less than 9%	40		
7202 99 90	--- Other	10		
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94 %, in lumps, pellets or similar forms.			
7203 10 00	- Ferrous products obtained by direct reduction of iron ore	4	Kg	
7203 90 00	- Other	4	Kg	
7204	Ferrous waste and scrap; remelting scrap ingots of iron or steel.			
7204 10 00	- Waste and scrap of cast iron	4	Kg	
	- Waste and scrap of alloy steel:			
7204 21 00	-- Of stainless steel	4	Kg	
7204 29 00	-- Other	4	Kg	
7204 30 00	- Waste and scrap of tinned iron or steel	4	Kg	
	- Other waste and scrap:			
7204 41 00	-- Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles	4	Kg	
7204 49 00	-- Other	4	Kg	
7204 50 00	- Remelting scrap ingots	4	Kg	
7205	Granules and powders, of pig iron, spiegeleisen, iron or steel.			
7205 10 00	- Granules	10	Kg	
	- Powders:			
7205 21 00	-- Of alloy steel	4	Kg	
7205 29 00	-- Other	4	Kg	
II. IRON AND NON-ALLOY STEEL				
7206	Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).			
7206 10 00	- Ingots	4	Kg	
7206 90 00	- Other	4	Kg	
7207	Semi-finished products of iron or non-alloy steel.			
	- Containing by weight less than 0.25 % of carbon:			
7207 11 00	-- Of rectangular (including square) cross-section, the width measuring less than twice the thickness	4	Kg	
7207 12 00	-- Other, of rectangular (other than square) cross-section	4	Kg	
7207 19 00	-- Other	4	Kg	
7207 20 00	- Containing by weight 0.25 % or more of carbon	4	Kg	
7208	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.			

Section XV – Chapter 72

Heading, Subheading No.	Description	Import Duties (%)	SUQ	Remarks
7208 10 00	- In coils, not further worked than hot-rolled, with patterns in relief - Other, in coils, not further worked than hot-rolled, pickled:	4	Kg	
7208 25 00	-- Of a thickness of 4.75 mm or more	4	Kg	
7208 26 00	-- Of a thickness of 3 mm or more but less than 4.75 mm	4	Kg	
7208 27 00	-- Of a thickness of less than 3 mm - Other, in coils, not further worked than hot-rolled:	4	Kg	
7208 36	-- Of a thickness exceeding 10 mm :		Kg	
7208 36 10	--- Of a thickness of 16 mm and less with width less than 1850mm	4		
7208 36 20	--- Of a thickness of more than 6 mm with width of 1500 mm and more in grades of X60 and higher for manufacturing pipes used in oil, gas and petrochemical projects. (based on API5L standard)	4		*
7208 36 90	--- Other	4		
7208 37	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm:		Kg	
7208 37 10	--- Of a thickness of more than 6 mm with width of 1500 mm and more in grades of X60 and higher for manufacturing pipes used in oil, gas and petrochemical projects. (based on API5L standard)	4		
7208 37 90	--- Other	4		
7208 38 00	-- Of a thickness of 3 mm or more but less than 4.75 mm	4	Kg	
7208 39 00	-- Of a thickness of less than 3 mm	4	Kg	
7208 40 00	- Not in coils, not further worked than hot-rolled, with patterns in relief - Other, not in coils, not further worked than hot-rolled:	4	Kg	
7208 51	-- Of a thickness exceeding 10 mm :		Kg	
7208 51 10	--- Sheets exceeding 1850 mm in width	4		
7208 51 90	--- Other	4		
7208 52	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm :		Kg	
7208 52 10	--- Sheets exceeding 1850 mm in width	4		
7208 52 90	--- Other	4		
7208 53	-- Of a thickness of 3mm or more but less than 4.75 mm :		Kg	
7208 53 10	--- Sheets exceeding 1850 mm in width	4		
7208 53 90	--- Other	4		
7208 54	-- Of a thickness of less than 3 mm :		Kg	
7208 54 10	--- Sheets exceeding 1850 mm in width and 2.5 mm in thickness	4		
7208 54 90	--- Other	4		
7208 90 00	- Other	4	Kg	
7209	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated. - In coils, not further worked than cold-rolled (cold-reduced):			
7209 15 00	-- Of a thickness of 3 mm or more	10	Kg	
7209 16 00	-- Of a thickness exceeding 1 mm but less than 3 mm	10	Kg	
7209 17 00	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	10	Kg	
7209 18 00	-- Of a thickness of less than 0.5 mm - Not in coils, not further worked than cold-rolled (cold-reduced):	4	Kg	
7209 25 00	-- Of a thickness of 3 mm or more	10	Kg	
7209 26 00	-- Of a thickness exceeding 1 mm but less than 3 mm	10	Kg	
7209 27 00	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	10	Kg	
7209 28 00	-- Of a thickness of less than 0.5 mm	4	Kg	

* American Petroleum Institute.

Section XV – Chapter 72

Heading, Subheading No.	Description	Import Duties (%)	SUQ	Remarks
7209 90 00	- Other	10	Kg	
7210	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.			
	- Plated or coated with tin:			
7210 11 00	-- Of a thickness of 0.5 mm or more	4	Kg	
7210 12 00	-- Of a thickness of less than 0.5 mm	4	Kg	
7210 20 00	- Plated or coated with lead, including terne-plate	4	Kg	
7210 30 00	- Electrolytically plated or coated with zinc	10	Kg	
	- Otherwise plated or coated with zinc:			
7210 41 00	-- Corrugated	10	Kg	
7210 49 00	-- Other	10	Kg	
7210 50 00	- Plated or coated with chromium oxides or with chromium and chromium oxides	4	Kg	
	- Plated or coated with aluminium:			
7210 61 00	-- Plated or coated with aluminium-zinc alloys	10	Kg	
7210 69 00	-- Other	10	Kg	
7210 70 00	- Painted, varnished or coated with plastics	10	Kg	
7210 90 00	- Other	10	Kg	
7211	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.			
	- Not further worked than hot-rolled:			
7211 13 00	-- Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	10	Kg	
7211 14 00	-- Other, of a thickness of 4.75 mm or more	10	Kg	
7211 19	-- Other :		Kg	
7211 19 10	--- Of a thickness of less than 0.5 mm	4		
7211 19 90	--- Other	10		
	- Not further worked than cold-rolled (cold-reduced):			
7211 23	-- Containing by weight less than 0.25 % of carbon :		Kg	
7211 23 10	--- Of a thickness of less than 0.5 mm	4		
7211 23 90	--- Other	10		
7211 29	-- Other :		Kg	
7211 29 10	--- Of a thickness of less than 0.5 mm	4		
7211 29 90	--- Other	10		
7211 90 00	- Other	10	Kg	
7212	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.			
7212 10 00	- Plated or coated with tin	4	Kg	
7212 20 00	- Electrolytically plated or coated with zinc	10	Kg	
7212 30	- Otherwise plated or coated with zinc :		Kg	
7212 30 10	--- Galvanized sheets of a thickness of more than 1.5 mm	10		
7212 30 20	--- Galvanized sheets of a thickness of less than 0.3 mm	10		
7212 30 30	--- Steel strips measuring 21 mm × 0.25 mm , in rolls, plated with zinc for manufacturing sound cassette shields	4		
7212 30 90	--- Other	10		
7212 40 00	- Painted, varnished or coated with plastics	10	Kg	
7212 50 00	- Otherwise plated or coated	10	Kg	

Section XV – Chapter 72

Heading, Subheading No.	Description	Import Duties (%)	SUQ	Remarks
7212 60 00	- Clad	10	Kg	
7213	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.			
7213 10	- Containing indentations, ribs, grooves or other deformations produced during the rolling process :		Kg	
7213 10 10	--- Rods of a diameter of less than 9 mm wound in coils	15		
7213 10 90	--- Other	15		
7213 20 00	- Other, of free-cutting steel	15	Kg	
	- Other:			
7213 91	-- Of circular cross-section measuring less than 14 mm in diameter :		Kg	
7213 91 10	--- Of a diameter of less than 9 mm wound in coils	15		
7213 91 20	--- Steel wires for the purposes of making welding electrodes	10	Kg	
7213 91 90	--- Other	15		
7213 99 00	-- Other	15	Kg	
7214	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.			
7214 10 00	- Forged	15	Kg	
7214 20 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling	15	Kg	
7214 30 00	- Other, of free-cutting steel	20	Kg	
	- Other:			
7214 91 00	-- Of rectangular (other than square) cross-section	15	Kg	
7214 99 00	-- Other	15	Kg	
7215	Other bars and rods of iron or non-alloy steel.			
7215 10 00	- Of free-cutting steel, not further worked than cold-formed or cold-finished	20	Kg	
7215 50 00	- Other, not further worked than cold-formed or cold-finished	20	Kg	
7215 90 00	- Other	20	Kg	
7216	Angles, shapes and sections of iron or non-alloy steel.			
7216 10 00	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	10	Kg	
	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:			
7216 21 00	--L sections	10	Kg	
7216 22 00	--T sections	10	Kg	
	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more:			
7216 31 00	-- U sections	10	Kg	
7216 32 00	-- I sections	4	Kg	
7216 33 00	-- H sections	4	Kg	
7216 40 00	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	10	Kg	
7216 50 00	- Other angles, shapes and sections, not further worked than hot- rolled, hot-drawn or extruded	10	Kg	
	- Angles, shapes and sections, not further worked than cold-formed or cold-finished:			
7216 61 00	-- Obtained from flat-rolled products	10	Kg	
7216 69 00	-- Other	10	Kg	

Section XV – Chapter 72

Heading, Subheading No.	Description	Import Duties (%)	SUQ	Remarks
	- Other:			
7216 91	-- Cold-formed or cold-finished from flat-rolled products	10	Kg	
7216 99	-- Other :		Kg	
7216 99 10	--- Various kinds of rails used in the manufacture of elevators	4		
7216 99 90	--- Other	10		
7217	Wire of iron or non-alloy steel.			
7217 10	- Not plated or coated, whether or not polished :		Kg	
7217 10 10	--- (ACSR) wire not plated or coated, whether or not polished	25		
7217 10 20	--- Wire (Bead Wire) not plated or coated whether or not polished	25		
7217 10 30	--- Wire of non-alloy steel, cold-rolled, of a circular cross-section, in coils.	25		
7217 10 90	--- Other	25		
7217 20	- Plated or coated with zinc :		Kg	
7217 20 10	--- Wire (ACSR) plated or coated with zinc	25		
7217 20 90	--- Other wires plated or coated with zinc	25		
7217 30	- Plated or coated with other base metals :		Kg	
7217 30 10	--- Wire (Bead Wire)	25		
7217 30 90	--- Other wires plated or coated with other base metals	25		
7217 90 00	- Other	25	Kg	
	III. STAINLESS STEEL			
7218	Stainless steel in ingots or other primary forms; semi-finished products of stainless steel.			
7218 10 00	- Ingots and other primary forms	4	Kg	
	- Other:			
7218 91 00	-- Of rectangular (other than square) cross-section	4	Kg	
7218 99 00	-- Other	4	Kg	
7219	Flat-rolled products of stainless steel, of a width of 600 mm or more.			
	- Not further worked than hot-rolled, in coils:			
7219 11 00	-- Of a thickness exceeding 10 mm	4	Kg	
7219 12 00	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	4	Kg	
7219 13 00	-- Of a thickness of 3 mm or more but less than 4.75 mm	4	Kg	
7219 14 00	-- Of a thickness of less than 3 mm	4	Kg	
	- Not further worked than hot-rolled, not in coils:			
7219 21 00	-- Of a thickness exceeding 10 mm	4	Kg	
7219 22 00	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	4	Kg	
7219 23 00	-- Of a thickness of 3 mm or more but less than 4.75 mm	4	Kg	
7219 24 00	-- Of a thickness of less than 3 mm	4	Kg	
	- Not further worked than cold-rolled (cold-reduced):			
7219 31 00	-- Of a thickness of 4.75 mm or more	4	Kg	
7219 32 00	-- Of a thickness of 3 mm or more but less than 4.75 mm	4	Kg	
7219 33 00	-- Of a thickness exceeding 1 mm but less than 3 mm	4	Kg	
7219 34 00	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	4	Kg	
7219 35 00	-- Of a thickness of less than 0.5 mm	4	Kg	
7219 90 00	- Other	4	Kg	
7220	Flat-rolled products of stainless steel, of a width of less than 600 mm.			
	- Not further worked than hot-rolled:			

Section XV – Chapter 72

Heading, Subheading No.	Description	Import Duties (%)	SUQ	Remarks
7220 11 00	-- Of a thickness of 4.75 mm or more	4	Kg	
7220 12 00	-- Of a thickness of less than 4.75 mm	4	Kg	
7220 20 00	- Not further worked than cold-rolled (cold-reduced)	4	Kg	
7220 90 00	- Other	4	Kg	
7221 00 00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.	4	Kg	
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.			
	- Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:			
7222 11 00	-- Of circular cross-section	10	Kg	
7222 19 00	-- Other	10	Kg	
7222 20 00	- Bars and rods, not further worked than cold-formed or cold-finished	10	Kg	
7222 30 00	- Other bars and rods	10	Kg	
7222 40 00	- Angles, shapes and sections	10	Kg	
7223 00 00	Wire of stainless steel.	4	Kg	
	IV. OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL			
7224	Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.			
7224 10 00	- Ingots and other primary forms	4	Kg	
7224 90 00	- Other	4	Kg	
7225	Flat-rolled products of other alloy steel, of a width of 600 mm or more.			
	- Of silicon-electrical steel:			
7225 11 00	-- Grain-oriented	4	Kg	
7225 19 00	-- Other	4	Kg	
7225 30 00	- Other, not further worked than hot-rolled, in coils	4	Kg	
7225 40 00	- Other, not further worked than hot-rolled, not in coils	4	Kg	
7225 50 00	- Other, not further worked than cold-rolled (cold-reduced)	4	Kg	
	- Other:			
7225 91 00	-- Electrolytically plated or coated with zinc	4	Kg	
7225 92 00	-- Otherwise plated or coated with zinc	4	Kg	
7225 99 00	-- Other	4	Kg	
7226	Flat-rolled products of other alloy steel, of a width of less than 600 mm.			
	- Of silicon-electrical steel:			
7226 11 00	-- Grain-oriented	4	Kg	
7226 19 00	-- Other	4	Kg	
7226 20 00	- Of high speed steel	10	Kg	
	- Other:			
7226 91 00	-- Not further worked than hot-rolled	10	Kg	
7226 92 00	-- Not further worked than cold-rolled (cold-reduced)	4	Kg	
7226 99 00	-- Other	4	Kg	
7227	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.			
7227 10 00	- Of high speed steel	10	Kg	
7227 20 00	- Of silico-manganese steel	10	Kg	
7227 90 00	- Other	10	Kg	

Section XV – Chapter 72

Heading, Subheading No.	Description	Import Duties (%)	SUQ	Remarks
7228	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.			
7228 10 00	- Bars and rods, of high speed steel	10	Kg	
7228 20 00	- Bars and rods, of silico-manganese steel	10	Kg	
7228 30 00	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	10	Kg	
7228 40 00	- Other bars and rods, not further worked than forged	10	Kg	
7228 50 00	- Other bars and rods, not further worked than cold-formed or cold-finished	10	Kg	
7228 60 00	- Other bars and rods	10	Kg	
7228 70 00	- Angles, shapes and sections	10	Kg	
7228 80 00	- Hollow drill bars and rods	10	Kg	
7229	Wire of other alloy steel.			
7229 20 00	- Of silico-manganese steel	10	Kg	
7229 90	- Other:			
7229 90 10	--- Of springy chromium-silico steel	10	Kg	
7229 90 20	--- Of springy vanadium steel	10	Kg	
7229 90 30	--- Cold-drawn anil & phosphorite alloy wires in skein of diameter of 5 to 35 mm.	4	Kg	
7229 90 90	--- Other	20	Kg	

